



**Sociedade Brasileira de
Geriatria e Gerontologia**

Nutricionista Simone Fiebrantz Pinto (CRN8- 939)

Presidente Departamento Gerontologia da SBGG 2021-2023
Título de Especialista em Gerontologia pela SBGG

Mestre em Educação

Especialização:

Gerontologia

Nutrição Clínica

Saúde Coletiva

Administração em Serviços de Saúde

Cuidados Paliativos


Norte
9,9 %

Nordeste
13,1 %

Sudeste
16,6 %

Sul
16,2 %

**Média
Nacional**
14,7 %



Seções

Representações

Sede Nacional

Stakeholders Partes Interessadas




Visão

Ser a referência no Brasil e América Latina, em Geriatria e Gerontologia, até 2030

Missão

- Fortalecer a G&G e preparar a sociedade para o envelhecimento.
- Estimular a multidisciplinaridade, o aprimoramento profissional e disseminar o conhecimento científico.
- Colaborar com as Instituições de Ensino e na construção de políticas públicas.
- Fortalecer o relacionamento Associativo

Desnutrição em diferentes cenários




Kaiser et al, 2020. Journal of the American Geriatrics Society

BMI and all-cause mortality in older adults: a meta-analysis¹⁻³

Jane E Winter, Robert J MacInnis, Naiyana Wattanapenpaiboon, and Caryl A Nowson

The American Journal of
CLINICAL NUTRITION




32 estudos, 197.940 idosos, média de follow-up 12 anos

EDITORIAL

DEFINING UNDERNUTRITION (MALNUTRITION) IN OLDER PERSONS

J.E. MORLEY

Division of Geriatric Medicine, Saint Louis University School of Medicine, St. Louis, Missouri USA. Corresponding author: John E. Morley, MB,BCh, Division of Geriatric Medicine, Saint Louis University School of Medicine, 1402 S. Grand Blvd., M238, St. Louis, MO 63104, Email: john.morley@health.slu.edu




Perda de massa magra aumenta o risco de complicações:

Perda de MM	Complicações	Mortalidade
10%	Prejuízo da imunidade, aumento de infecção	10%
20%	Redução da cicatrização, fraqueza, infecção	30%
30%	Dificuldade para sentar, escara, pneumonia, falta de cicatrização	50%
40%	Morte, geralmente por pneumonia	100%

Moradores com 60 anos ou mais e situação de segurança alimentar 2023

Situação de segurança alimentar	
Com segurança alimentar	76,4
Com insegurança alimentar	23,6

CONSEQUÊNCIAS DA DESNUTRIÇÃO



PRIORIDADES

- 1.
- 2.
- 3.





VIDAS LONGAS EXIGEM PLANEJAMENTO!

Projeto de Lei 4729/24

Estabelece suplementação
nutricional para idosos
diagnosticados com desnutrição na
rede do Sistema Único de Saúde
(SUS)

Redução de 37 %
de Mortalidade

Acompanhamento pós alta

Protocolo Nacional de Triagem



The budget impact of oral nutritional supplements for disease related malnutrition in elderly in the community setting

Karen Freijer¹*, Mark J. C. Nijhut² and Jos M. G. A. Schols³

¹ CAPHRI – School for Public Health and Primary Care, Maastricht University, Maastricht, Netherlands

² Ars Accessus Medica, Jisp, Netherlands

³ CAPHRI – School for Public Health and Primary Care, Department of General Practice and Department of Health Services Research, Maastricht University, Maastricht, Netherlands

Edited by:

Javed S. Shaikh, Cardiff Research Consortium: A CAPITA Group Plc Company, India

Reviewed by:

Sirajudheen Anwar, University of Messina, Italy

Domenico Criscuolo, Genovax, Italy

Michael Hans Thiede, Health Economics and Policy, Germany

***Correspondence:**

Karen Freijer, CAPHRI School for Public Health and Primary Care, PhD student, p/a P.O. Box 445, 2700 AK Zoetermeer, Netherlands.
e-mail: k.freyer@maastrichtuniversity.nl

A health economic analysis was performed to assess the economic impact on the national health care budget of using oral nutritional supplements (ONS), being a food for special medical purposes also known as medical nutrition, for the treatment of disease related malnutrition (DRM) in the community in the Netherlands. An economic model was developed to calculate the budget impact of using ONS in community dwelling elderly (>5 years) with DRM in the Netherlands. The model reflects the costs of DRM and the cost reductions resulting from improvement in DRM due to treatment with ONS. Using ONS for the treatment of DRM in community dwelling elderly, leads to a total annual cost savings of € 13 million (18.9% savings), when all eligible patients are treated. The additional costs of ONS (€ 57 million) are more than balanced by a reduction of other health care costs, e.g., re-hospitalization (€ 70 million). Sensitivity analyses were performed on all parameters, including duration of treatment with ONS and the prevalence of DRM. This budget impact analysis shows that the use of ONS for treatment of DRM in elderly patients in the community may lead to cost savings in the Netherlands.

Keywords: disease related malnutrition, medical nutrition, oral nutritional supplements, economic impact, budget impact, costs

Ações intersetoriais

Treinamento Agentes Comunitários – rastrear
Desnutrição

Programa Nacional de Acesso a
Suplementação Nutricional

Educação nutricional programa intergeracional
manter a memória culinária

hortas comunitárias, restaurante
popular, aproveitamento integral, armazém da
família



Sociedade Brasileira de
Geriatria e Gerontologia

Muito obrigada pela atenção !

nacional@sbgg.org.br